



## PREPARED FOR:

Borough of Eatontown  
47 Broad Street  
Eatontown, New Jersey 07724

## PREPARED BY:

T&M Associates  
11 Tindall Road  
Middletown, NJ 07748

**TIER A MUNICIPAL  
STORMWATER GENERAL PERMIT  
NJPDES General Permit #NJG0148008  
Program Interest ID #190532**

# STORMWATER POLLUTION PREVENTION PLAN 2023 UPDATE

# NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION



## Table of Contents

	<u>Page</u>
<b>Stormwater Pollution Prevention Plan (SPPP)</b>	
Form 1 – SPPP Team Members.....	1
Form 2 – Revision History.....	2
Form 3 – Public Announcements.....	3
Form 4 – Post Construction Stormwater Management in New Development and Redevelopment.....	4
Form 5 – Ordinances.....	6
Form 6 – Street Sweeping.....	7
Form 7 – MS4 Infrastructure.....	8
Form 8 – Community Wide Measures.....	12
Form 9A – Municipal Maintenance Yards & Other Ancillary Operations – Pinebrook Road.....	13
Form 9B – Municipal Maintenance Yards & Other Ancillary Operations – Lewis Street.....	17
Form 9C – Municipal Maintenance Yards & Other Ancillary Operations – Parker Road.....	21
Form 10 – Training.....	25
Form 11 – MS4 Mapping.....	28
Form 12 – Watershed Improvement Plan.....	29
Form 13 – TMDL.....	30

## Appendices

### 1 – Standard Operating Procedures

- Vehicle and Equipment Fueling Standard Operating Procedures
- Vehicle Maintenance Standard Operating Procedures
- Good Housekeeping Practices Standard Operating Procedures

NJPDES Tier A Municipal Stormwater  
General Permit

# Stormwater Pollution Prevention Team Members

Number of team members may vary.

Completed by: Edward Herrman, P.E.  
Title: Borough Engineer  
Municipal Name: West Long Branch  
NJPDES #: NJG0148008  
PI ID #: 190532  
Effective Date of Permit Authorization  
(EDPA): 04/01/2004  
Date Form Completed: 03/01/2005  
Date of most recent update: 04/30/2024

Stormwater Program Coordinator: Edward Herrman, P.E.

Title: Borough Engineer

Office Phone #: (732) 671-6400 ext. 9483

Email: eherrman@tandmassociates.com

## INDIVIDUALS RESPONSIBLE FOR MAJOR DEVELOPMENT PROJECT STORMWATER MANAGEMENT REVIEW

Name: Edward Herrman, PE

Title: Borough Engineer

Office Phone #: (732) 865-9483

Email: eherrman@tandmassociates.com

Name:

Title:

Office Phone #: ( )

Email:

## OTHER SPPP TEAM MEMBERS

Name: Keith Ferrugia

Title: Department of Public Works Director

Office Phone #: (732) 389-7651

Email: kferrugia@eatontownnj.com

Name: Emily Watts

Title: Administrative Assistant

Office Phone #: (732) 389-7651

Email: ewatts@eatontownnj.com

Name: Matthew Frederick

Title: Division Manager - Parks

Office Phone #: (732) 389-7651

Email: mfrederick@eatontownnj.com

Name: Ken Sneath

Title: Division Manager - Roads

Office Phone #: (732) 389-7651

Email: ksneath@eatontownnj.com

## SPPP Form 2 - Revision History

Municipality Information	Municipal Name: <u>Borough of Eatontown</u> NJPDES #: NJG <u>0148008</u> PI ID #: <u>190532</u> Effective Date of Permit Authorization (EDPA): <u>04/01/2004</u>			
Revision Date	SPC Initials	SPPP Form Changed	Reason for Revision	
1.	04/23/2018	EH	Various	Updated to include new requirements outlined in the 2018 permit renewal.
2.	09/11/2019	EH	Various	General SPPP form updates.
3.	11/30/2020	EH	Various	General SPPP form updates.
4.	04/30/2022	EH	Various	General SPPP form updates.
5.	06/30/2023	EH	Various	Updated to include new requirements outlined in the 2023 permit renewal.
6.	04/30/2024	EH	Various	Minor text edits; included Form 13 – TMDL Info
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				

## SPPP Form 3 - Public Announcements

1. *Provide the link to the dedicated stormwater webpage for your municipality.*

<https://www.eatontownnj.com/593/Storm-Water-Management>

2. *List the name and title of person(s) responsible for stormwater webpage postings/updates.*

Maria Fornocolla, Borough Safety Coordinator

3. *List the newspapers, social media outlets, websites, direct mailings (Email or postal), and other communication approaches typically used to inform/educate the public on stormwater program information and related events/activities.*

The Borough currently posts Public Notices in local newspapers designated at their annual reorganization meeting. For 2023, the designated publications are The Asbury Park Press, The Star Ledger and The Link.

Additionally, public notice on stormwater related education and outreach activities are posted on the Borough's website and Facebook page, as well as distributed through mass mailings if necessary.

Website: <https://www.eatontownnj.com/>

Facebook: <https://www.facebook.com/BoroughOfEatontownNJ/?rf=297958073694047>

# SPPP Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment

1. *How does the Municipality define “major development”? If it is different from the definition in N.J.A.C. 7:8, explain the difference.*

- A. An individual development, as well as multiple developments that individually or collectively result in:
  - (1) The disturbance of one or more acres of land since February 2, 2004;
  - (2) The creation of  $\frac{1}{4}$  acre or more of “regulated impervious surface” since February 2, 2004;
  - (3) The creation of  $\frac{1}{4}$  acre or more of “regulated motor vehicle surface” since March 2, 2021; or
  - (4) A combination of Subsection A(2) and (3) above that totals an area of  $\frac{1}{4}$  acre or more. The same surface shall not be counted twice when determining if the combination area equals  $\frac{1}{4}$  acre or more.
- B. Major development includes all developments that are part of a common plan of development or sale (for example, phased residential development) that collectively or individually meet any one or more of Subsection A(1), (2), (3) or (4) above. Projects undertaken by any government agency that otherwise meet the definition of “major development” but which do not require approval under the Municipal Land Use Law, N.J.S.A. 40:55D-1 et seq., are also considered “major development.”

2. *Is the Municipality’s stormwater control ordinance (SCO) the same as or more stringent than NJDEP’s model SCO? If more stringent, explain the difference.*

The Borough adopted the NJDEP’s model SCO.

3. *Describe the process for reviewing major development project applications for compliance with the SCO and Residential Site Improvement Standards (RSIS).*

Major developments projects that are subject to RSIS for stormwater management are reviewed by the appropriate personnel representing the Borough’s Planning and Zoning Boards for compliance with the water quality, water quantity, groundwater recharge and green infrastructure design standards as per NJAC 7:8, and the criteria outlined in the Borough’s SCO.

Once the project is deemed compliant with the stormwater management and SCO requirements and all comments noted have been addressed to the satisfaction of the Borough and Board Engineer, the application is presented before the Planning and Zoning Boards for final approval.

Municipal projects are also reviewed as part of the Planning and Zoning Boards process and submitted for final approval once the submission is deemed in conformance with the design standards as per NJAC 7:8, and the criteria outlined in the Borough’s SCO.

Throughout construction, representatives from the Borough inspect the construction site to ensure that the project is constructed in accordance with the approved development plans.

## SPPP Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment (Cont'd)

4. *Does your municipality have a mitigation plan included in your Municipal Stormwater Management Plan and Stormwater Control Ordinance? Indicate the location of records of all variances granted.*

The Borough's adopted Municipal Stormwater Management Plan and Stormwater Control Ordinance includes a Mitigation Plan that allows proposed development or redevelopments projects the opportunity to seek a variance or exemption from the stormwater management design and performance standards as set forth in the Borough Municipal Stormwater Management Plan and NJAC 7:8-5. The plan outlines mitigation project criteria, as well as requirements for submission of the Mitigation Plan to the Borough for review and approval prior to granting final approval of the site development, as well as potential options for consideration.

To date though no variances or exemptions have been requested or granted.

In the event a variance or exemption is requested or granted, records will be submitted to the Borough Planning and Zoning Boards and the NJDEP upon approval.

Copies of the variances granted will be maintained with the Board Secretary.

5. *Indicate the dates of each iteration of the Borough's Stormwater Control Ordinance, starting with the initial adoption and including revisions.*

The Borough's Stormwater Control Ordinance (SCO) was originally adopted on May 10, 2006.

To comply with a New Jersey stormwater rule amendment issued on March 2, 2020, the Borough's SCO was revised and re-adopted on February 25, 2021.

6. *Indicate the dates of each iteration of the Borough's Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.*

The Borough's Municipal Stormwater Management Plan (MSWMP) was adopted on March 28, 2005 and memorialized on October 22, 2007. It was last amended and readopted on January 14, 2008.

## SPPP Form 5 – Ordinances

Regulatory Mechanism	Date of Adoption	Was the NJDEP model adopted without change? If not, explain how it's more stringent	Entity Responsible for Enforcement	Fees and Fines
Pet Waste	12/14/2005	Yes	Police Dept. and Code Enforcement	Not to Exceed \$1,250
Wildlife Feeding	12/14/2005	Yes	Police Dept. and Code Enforcement	Not to Exceed \$1,250
Litter Control	12/14/2005	Yes	Police Dept. and Code Enforcement	Not to Exceed \$1,250
Improper Disposal of Waste	12/14/2005	Yes	Police Dept. and Code Enforcement	Not to Exceed \$1,250
Yard Waste	12/14/2005	Yes	Police Dept. and Code Enforcement	Not to Exceed \$1,250
Private Storm Drain Inlet Retrofitting	05/12/2010	Yes	Code Enforcement	Not to Exceed \$1,250
Illicit Connection Ordinance	12/14/2005	Yes	Police Dept. and Code Enforcement	Not to Exceed \$1,250
Privately-Owned Salt Storage				
Tree Removal / Replacement				
<p><i>List any additional stormwater-related ordinances the municipality has adopted that address issues beyond the scope of the MS4 permit. Include adoption date, entity responsible for enforcement, and related fees and fines.</i></p>				
<p>Refuse Containers and Dumpsters, adopted per the NJDEP model on May 12, 2010. The ordinance is enforced through the Eatontown Special Code Enforcement Officer and is subject to fines not to exceed \$200 for anyone found to be in violation of the provisions established within the ordinance.</p>				
<p><i>Indicate the location of records associated with ordinances and related violations and enforcement actions below.</i></p>				
<p>Records of any warnings or violations issued in relation to the above referenced community wide ordinances are maintained by Code Enforcement or applicable enforcing office or department. They are reported to the Stormwater Program Coordinator or Borough Engineer annually for inclusion in the Borough's annual stormwater report and supplemental questionnaire.</p>				

## SPPP Form 6 – Street Sweeping

1. *Provide a written description and/or attach a map outlining the sweeping schedule for the following:*

- *Segments of municipal roads with storm drain inlets that discharge to surface water (required at least 3 times each year)*
- *Segments of municipal roads that do not have storm drain inlets but do discharge to surface water (required at least 1 time each year)*

*Note: Only asphalt and concrete roads need to be swept. Roads that do not have storm drain inlets and do not discharge to surface water do not need to be swept.*

The Borough has an existing street sweeping program that includes the mechanical sweeping of municipal streets by Borough personnel.

The Borough is broken into 2 separate zones, the Eastside and the Westside. Highway 35 is the dividing line. A list of the breakdown of streets is provided on the Borough's website.

The Borough will continue its existing sweeping program which includes sweeping all roads at least three times a year. Spoils are collected and dumped in 10 cy containers placed throughout the Borough during sweeping activities. Once sweeping is completed, the containers are disposed offsite at the Monmouth County Reclamation Center.

2. *Indicate if sweeping work is outsourced and if so, describe the arrangement.*

All street sweeping is conducted by Borough DPW personnel.

# SPPP Form 7 – MS4 Infrastructure

## 1. Municipal Storm Drain Inlets

- a. *Describe how you ensure that municipal inlets without permanent wording cast into the design have been properly labelled.*
- b. *Describe how you ensure that municipal and private storm drain inlets have been retrofitted.*
- c. *Describe how you ensure that newly installed storm drain inlets include corresponding catch basins or other BMPs to collect solids.*
- d. *Describe when and how you conduct inspections of storm drain inlets and the criteria used to determine when they need to be cleaned.*

- a. DPW staff conduct visual inspections of the stormwater labels installed on those inlets or catch basins that do not have permanent wording cast into their design. Replacement of the label is either conducted onsite or scheduled for maintenance once it is reported back to the DPW office.
- b. Throughout construction of major development projects or during repaving projects, the Code Enforcement Office or the Borough Engineer and their representatives shall perform site inspections to confirm proper storm drain inlets have been installed or retrofitted as approved. For existing inlets or catch basins that have not been retrofitted, DPW staff will conduct visual inspections during their day-to-day operations and identify any unit that needs retrofitting. Retrofitting work will be scheduled accordingly to ensure completion of all retrofit or replacement work by December 31,2027.
- c. The Borough Engineer and consultants shall check plans for road projects and major developments to verify that a catch basin or some sort of BMP to capture solids is included with, or downstream of, the affected storm drain inlet in accordance with NJDEP requirements.
- d. DPW staff shall perform inspections of identified storm drain inlets on an annual basis in accordance with NJDEP requirements. Any storm drain inlet noted with debris will be reported back to the DPW and scheduled for cleaning. The Eatontown Sewerage Authority (ETSA) shall conduct the actual cleaning. Spoils collected by the ETSA are disposed at the Borough's compost facility. Areas that clog and flood often during storms shall be inspected more frequently and prior to large, forecasted storms. They will be scheduled for re-cleaning as needed.

## 2. Municipal Catch Basins

- a. *Describe when and how you conduct inspections of catch basins.*
- b. *Describe the criteria used to determine when catch basins need to be cleaned.*

- a. DPW staff shall perform inspections of a minimum of 20% of the Borough's catch basins on an annual basis in accordance with NJDEP requirements. Any catch basin identified with debris will be reported back to the DPW and scheduled for cleaning. The ETSA shall conduct the actual cleaning. Spoils collected by the ETSA are disposed at the Borough's compost facility. Areas that clog and flood often during storms shall be inspected more frequently and prior to large, forecasted storms. They will be scheduled for re-cleaning as needed.
- b. All catch basins that are 40% or more full will be scheduled for cleaning by ETSA. Areas that are prone to clogging or flooding during storm events shall be inspected more frequently, as well as prior to large, forecasted storms. They shall be scheduled for re-cleaning as necessary. Additionally, catch basins that are in areas of recent flooding complaints shall be inspected within 1 week of receipt of the complaint and cleaned as needed.

## SPPP Form 7 – MS4 Infrastructure (Cont'd)

### 3. Municipal Conveyance System

*Describe when and how inspections of MS4 conveyance systems are conducted, and the criteria used to determine when they need to be cleaned. Include a description of the equipment and techniques used.*

Stormwater pipe systems in known flood areas will be inspected as needed before and after storm events to minimize potential flooding that may be caused by accumulation of debris or blockages.

The rest of the stormwater piping system will be visually inspected periodically during inspection of select catch basins or storm drain inlets. Those stormwater pipe systems found with blockages or evidence of debris will be reported back to the DPW for further investigation and action, which may include additional television inspection.

### 4. Municipal Outfall Inspections – Stream Scouring

*Describe the program in place to detect, investigate, and control localized stream scouring from stormwater outfalls. Include a description of the equipment and techniques used.*

The Borough will continue with its existing outfall inspection program to identify outfalls with signs of scouring in accordance with NJDEP permit requirements. Outfall pipe stream scouring inspections will be done at a minimum once every five (5) years or 20% of the overall total outfalls within the Borough on an annual basis. These inspections will be conducted alongside the inspections for dry weather flow.

All sites in which scouring is identified will be placed on a prioritized list and repairs will be made in accordance with the Standards for Soil Erosion and Sediment Control in New Jersey. In addition, repairs that do not need NJDEP permits will be addressed first. A Stream Scouring Investigation Recordkeeping form will also be completed.

The Borough will follow-up each repair with an annual inspection of the site to ensure that scouring has not resumed.

### Long Term Maintenance

All outfall pipes in which scouring has been detected and addressed in the past, shall be inspected annually thereafter to ensure the associated stabilization projects were successful. Once it is determined that the scouring repairs have adequately mitigated any subsequent scouring, those outfalls can again be inspected only once during each 5-year permit iteration.

## SPPP Form 7 – MS4 Infrastructure (Cont'd)

### 5. Municipal Outfall Inspections – Illicit Discharge Detection and Elimination

*Describe the program in place for conducting visual dry weather inspections of municipally owned or operated outfalls. Include a description of the equipment and techniques used. Record cases of illicit discharges using the DEP's Illicit Connection Inspection Report Form from the Department's main stormwater webpage.*

The Borough will continue with its existing outfall inspection program for signs of outfall dry weather flow in accordance with NJDEP permit requirements. The program includes inspection of a minimum of 20% of their overall total outfalls on an annual basis. Outfalls will be inspected for dry weather discharges 72 hours after a rain event, intermittent stormwater flow, discoloration or inappropriate debris in and immediately downstream of the outfall.

Outfalls found to have suspected illicit discharge will be re-inspected within 30 days and sampled as needed in accordance with NJDEP guidelines. Illicit discharges detected will be investigated to identify the source of the discharge. An NJDEP Illicit Connection Inspection Report Form will be completed and submitted to the NJDEP as part of the Annual Report.

If the source is identified, the requisite property owner(s) will be notified of their violation of the Illicit Connection Ordinance and will have the connection eliminated immediately. If the source of the illicit connection cannot be located within eleven months, the Borough will notify the NJDEP Enforcement Inspector and the MS4 case manager within one month of the situation and request an extension of the investigation period.

### 6. Other Municipal Infrastructure

*List the types of MS4 infrastructure in the Borough that require inspection but are not noted above in items 1-5. Describe when and how you conduct inspections of this infrastructure and the criteria used to determine when they need to be maintained and/or cleaned.*

The Borough will continue to implement their existing stormwater facility maintenance program to ensure that all stormwater facilities owned and operated by the Borough are functioning properly. Aside from storm drain inlets, catch basins, stormwater pipes and outfalls, the Borough operates **basins (both public and privately owned)**.

These stormwater facilities are inspected annually to ensure that they are functioning properly. Monthly inspections are conducted during the spring and summer of each year. In high-risk areas, preventative maintenance shall be performed as well to ensure their proper function. Basins shall be mowed to minimize plant growth, trash or littler will be removed and any silt build-up shall be cleaned as needed.

**Name:** Applebey Street, **Location:** Block 1301, Lot 58  
**Name:** Russell Terrace, **Location:** Block 3001, Lots 20 and 40  
**Name:** Theodore Drive, **Location:** Block 3901, Lot 9.01

## SPPP Form 7 – MS4 Infrastructure (Cont'd)

### 7. *Stormwater Facilities Not Owned or Operated by the Municipality*

*Describe your program for ensuring adequate long-term cleaning, operation, and maintenance of stormwater facilities not owned or operated by the municipality. This should include your plan for ensuring annual inspections are being done on these private properties and describe how you record the locations and logs associated with private infrastructure.*

The Borough maintains a list of stormwater facilities (basins) not owned or operated by the Borough for reference.

Certification forms shall be issued to the owners of these facilities on an annual basis to confirm completion of the necessary maintenance or repairs to ensure proper operation of the units.

In the instances where the owners do not perform the necessary maintenance, the Borough will conduct a visual inspection to verify if any maintenance or repair is necessary and review what remedial action is necessary to ensure proper operation of the facility.

### 8. *Infrastructure Records*

*Indicate the location of records related to stormwater infrastructure inspection, cleaning, maintenance, and repair activities.*

Records of inspections and maintenance conducted are kept in the DPW office. This includes records of inspections, cleanings, routine maintenance work, investigations of illicit connections and scouring near outfalls and any repairs conducted throughout the year.

# SPPP Form 8 – Community Wide Measures

## 1. Herbicide Application Management

*Describe your program for preventing herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation.*

The Borough conducts minimal use of herbicide application at Borough Hall sidewalks, back parking lots and in ballfield areas. The application will be prohibited on, or adjacent to storm drain inlets, on steeply sloping grounds, along curb lines or on unobstructed shoulders. Application shall be permitted only within a 2-foot radius around structures where overgrowth presents a safety hazard or where it is unsafe to mow.

## 2. Excess Deicing Material Management

*Describe your program for ensuring that excess salt piles are removed in a timely manner after storm events.*

The Borough shall conduct a visual inspection of its roadways and parking areas after storm events to identify areas of excess deicing material. DPW personnel will be assigned to shovel/pick up the excess material within 72 hours after the storm is over, conditions permitting. Excess deicing material will be collected and returned to the Borough's salt dome to be reused during the next storm event as needed.

## 3. Roadside Vegetative Waste

*Describe your program for ensuring proper pickup, handling, storage, and disposal of wood waste and yard trimmings generated by the permittee along municipal roads or on municipal properties (trimming trees, mowing, etc.).*

No grass clippings are collected by the Borough.

Leaves are collected April through June and October through December of each year. Brush is collected year-round. All collected waste is taken to the Borough's compost facility.

Leaves are converted into compost, which is available to residents, as well as being sold at auction periodically. Brush gets ground into mulch available to residents and the remainder is hauled offsite and disposed to a 3<sup>rd</sup> party facility.

## 4. Roadside Erosion Control

*Describe your program to detect and repair erosion along municipal roadways.*

The Borough DPW will monitor Borough roads and streets for signs of potential erosion during their routine morning visual inspections. All identified road erosion problems will be reported to the DPW Director.

Identified areas of erosion will be evaluated and repairs prioritized based on their severity. DPW personnel will then be assigned to complete the necessary repair work in accordance with all applicable standards for Soil Erosion and Sediment Control in New Jersey.

Once completed, all repair details and dates will be documented and submitted to the DPW office for their record.

# SPPP Form 9A – Municipal Maintenance Yards and Other Ancillary Operations

## 1. Site Name and Address of maintenance yard or ancillary operation.

Eatontown DPW Facility  
250 Pinebrook Road  
Eatontown, NJ 07724

## 2. Monthly Site Inspections

*Describe the nature of inspections conducted at this site and the location of inspection logs.*

Visual observations are conducted by DPW staff during their day-to-day operations. Any deficiencies noted are reported for further evaluation and action. On a monthly basis, a more detailed inspection is conducted to verify that materials and machinery stored outdoors are stored in such a way that minimizes exposure to stormwater, ensuring the materials are on impervious surfaces where feasible and covered as needed. Any deficiencies are noted and reported for further action.

## 3. Inventory List

*List all materials and machinery that are potentially exposed to stormwater.*

Materials	Machinery
Steel beams / miscellaneous metals	Multiple containers / dumpsters
Automotive liquids, oils and hydraulics	DPW Maintenance Vehicles
Antifreeze	Diesel and Gasoline Fuel Tanks
300 gallons of Diesel Exhaust Fluid	Tanks/drums for waste oil & other fluids
Miscellaneous Castings	Street Sweeper/Garbage trucks
Bricks / pavers / blocks	Heavy construction vehicles (i.e loaders/excavator)
Cold patch	Inoperable Vehicles
Scrap tires	Miscellaneous heavy equipment / plows
Residential trash containers	

# SPPP Form 9A – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

## 4. Discharge of Stormwater from Secondary Containment

*Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.*

Not applicable.

## 5. Fueling Operations

*Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.*

Fueling is conducted onsite at the Borough's DPW facility. A Standard Operating Procedure has been developed outlining standard do's and dont's. The Borough maintains speedy dry and other absorbent materials in the event of leaks or spills. The fueling area is inspected and any deficiencies are reported and scheduled for necessary maintenance.

## 6. Vehicle/Equipment Maintenance and Repair

*Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.*

Routine vehicle maintenance is conducted by Borough personnel in their maintenance garage building. All maintenance and repair work is completed indoors. The maintenance garage does not have any storm or trench drains. Automotive fluids emptied are stored and/or disposed in various storage drums/containers and disposed offsite as needed.

## 7. Wash Wastewater Containment

*Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.*

No washing of vehicles is conducted onsite at the Borough's DPW facility. Vehicles utilize the County Wash Facility and invoices are generated for recordkeeping purposes. Only periodic rinsing of the salt spreading vehicles is conducted onsite after the excess salt has been brushed off.

# SPPP Form 9A – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

## 8. Salt and Other Granular De-icing Materials

*Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

## 9. Aggregate Material, Wood Chips, and Finished Leaf Compost

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

## 10. Cold Patch Asphalt

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Cold patch asphalt is kept periodically throughout the year as needed. It is stored outdoors in a hot box adjacent to the front of the maintenance garage building. The Borough will evaluate options for covering the hot box and relocating it indoors as needed to minimize potential discharges.

## 11. Street Sweepings and Storm Sewer Cleanout Materials

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

## SPPP Form 9A – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

### 12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

### 13. Scrap Tires

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Scrap tires are periodically stored at the DPW facility. Storage is located inside a storage container that has a top cover with door access. Scrap tires are disposed offsite as needed by a 3rd party contractor.

In the event they are stored outdoors, the Borough will provide tarping as needed to minimize potential stormwater discharges.

### 14. Inoperable Vehicles and Equipment

*Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.*

Inoperable vehicles are temporarily stored outdoors in the gravel parking lot of the DPW facility until they are sent to auction and removed offsite.

# SPPP Form 9B – Municipal Maintenance Yards and Other Ancillary Operations

## 1. Site Name and Address of maintenance yard or ancillary operation.

Eatontown DPW Recycling Center  
131 Lewis Street  
Eatontown, NJ 07724

## 2. Monthly Site Inspections

*Describe the nature of inspections conducted at this site and the location of inspection logs.*

Visual observations are conducted by DPW staff during their day-to-day operations. Any deficiencies noted are reported for further evaluation and action. On a monthly basis, a more detailed inspection is conducted to verify that materials and machinery stored outdoors are stored in such a way that minimizes exposure to stormwater, ensuring the materials are on impervious surfaces where feasible and covered as needed. Any deficiencies are noted and reported for further action.

The garage bays where the Borough's de-icing materials are stored is also inspected to ensure that materials are protected from exposure to rain, snow, and stormwater running across the paved surfaces. Any deficiencies are noted and reported for further action.

## 3. Inventory List

*List all materials and machinery that are potentially exposed to stormwater.*

Materials	Machinery
Calcium chloride and road salt	Multiple Dumpsters/containers for recycling
Topsoil	Chemical storage tanks
Fill dirt / sand / clay	Multiple claws for front end loaders
Stone	DPW Maintenance trucks
Pea Gravel	Garbage and dump trucks
Hay bales for runoff control	
Concrete blocks	

## SPPP Form 9B – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

### 4. Discharge of Stormwater from Secondary Containment

*Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.*

Not applicable.

### 5. Fueling Operations

*Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.*

Not applicable.

### 6. Vehicle/Equipment Maintenance and Repair

*Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.*

Not applicable.

### 7. Wash Wastewater Containment

*Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.*

Not applicable.

## SPPP Form 9B – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

### 8. Salt and Other Granular De-icing Materials

*Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

The Borough utilizes bulk brine and rock salt for their de-icing activities. The Borough shares services with the Monmouth County Public Works Department for the use and storage of de-icing material during the winter season. The Borough maintains up to 100 tons of de-icing material at their DPW facility in a 2-bay covered garage. When not in use or during the off season left over de-icing material is pushed towards the back of the bay and bales of hay are placed in front to minimize runoff.

No sand is utilized or stored outdoors for de-icing purposes.

Routine maintenance and inspection of the de-icing material storage structure is conducted as needed throughout the year.

### 9. Aggregate Material, Wood Chips, and Finished Leaf Compost

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

The Borough stores gravel, stone, sand and other miscellaneous aggregate material outdoors in this facility for use by the Borough on an as needed basis. All material stored is sectioned off in various 3 walled man-made bins using Jersey barrier blocks. The Borough conducts periodic inspections to determine if stored aggregate materials need to be moved to eliminate potential runoff or need to be bermed or otherwise sectioned off to eliminate potential surface discharges.

### 10. Cold Patch Asphalt

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

### 11. Street Sweepings and Storm Sewer Cleanout Materials

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

## SPPP Form 9B – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

### 12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Periodically concrete will be temporarily stored at this facility and then collected and disposed offsite to a 3<sup>rd</sup> party facility.

### 13. Scrap Tires

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

### 14. Inoperable Vehicles and Equipment

*Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.*

Not applicable.

# SPPP Form 9C – Municipal Maintenance Yards and Other Ancillary Operations

## 1. Site Name and Address of maintenance yard or ancillary operation.

Eatontown Compost Facility  
Parker Road  
Eatontown, NJ 07764

## 2. Monthly Site Inspections

*Describe the nature of inspections conducted at this site and the location of inspection logs.*

Visual observations are conducted by DPW staff during their day-to-day operations. Any deficiencies noted are reported for further evaluation and action. On a monthly basis, a more detailed inspection is conducted to verify that materials and machinery stored outdoors are stored in such a way that minimizes exposure to stormwater, ensuring the materials are on impervious surfaces where feasible and covered as needed. Any deficiencies are noted and reported for further action.

## 3. Inventory List

*List all materials and machinery that are potentially exposed to stormwater.*

Materials	Machinery
Brush	Front-end loaders
Leaves	Bulldozer
Wood Chips	Claw/bucket
Compost	

## SPPP Form 9C – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

### 4. Discharge of Stormwater from Secondary Containment

*Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.*

Not applicable.

### 5. Fueling Operations

*Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.*

Not applicable.

### 6. Vehicle/Equipment Maintenance and Repair

*Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.*

Not applicable.

### 7. Wash Wastewater Containment

*Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.*

Not applicable.

## SPPP Form 9C – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

### 8. Salt and Other Granular De-icing Materials

*Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

### 9. Aggregate Material, Wood Chips, and Finished Leaf Compost

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

No aggregate material is stored at this facility.

Brush, leaves and branches are maintained at this facility and is converted to mulch/wood chips and finished compost, which is made available to residents, disposed of, or sold at auction. All materials are stored outdoors. There are no adjacent waterbodies near the facility and the nearest storm drain inlets or catch basins are more than 50 feet away down Parker Road. None are installed within the Compost Facility itself.

The Borough conducts periodic inspections to confirm no discharges to surface areas exist. If detected, additional modifications will be made to eliminate runoff.

### 10. Cold Patch Asphalt

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

### 11. Street Sweepings and Storm Sewer Cleanout Materials

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

## SPPP Form 9C – Municipal Maintenance Yards and Other Ancillary Operations (Cont'd)

### 12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

No construction or demolition waste is stored at this facility.

Brush, leaves and branches are maintained at this facility and is converted to mulch/wood chips and finished compost, which is made available to residents, disposed of, or sold at auction. All materials are stored outdoors. There are no adjacent waterbodies near the facility and the nearest storm drain inlets or catch basins are more than 50 feet away down Parker Road. None are installed within the Compost Facility itself.

The Borough conducts periodic inspections to confirm no discharges to surface areas exist. If detected, additional modifications will be made to eliminate runoff.

### 13. Scrap Tires

*Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.*

Not applicable.

### 14. Inoperable Vehicles and Equipment

*Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.*

Not applicable.

# SPPP Form 10 –Training

## ***Stormwater Program Coordinator***

### ***Describe the training provided for the municipal Stormwater Program Coordinator.***

The Stormwater Program Coordinator (SPC) for the Borough will attend the NJDEP training seminar every permit cycle. Training shall cover SPC responsibilities, permit conditions, annual reporting and required submissions and documentation. Once training is completed, documentation will be included in the SPPP for reference.

<b>Topic</b>	<b>Office/Entity Responsible for Training</b>
<b><i>Describe the training provided for municipal staff.</i></b>	
<b>SPPP</b>	Staff responsible for any aspect of the stormwater program shall attend annual training on the site-specific details of the SPPP to review MS4 permit requirements, and record-keeping requirements. Training will be conducted using training videos provided either by JIF or the Office of the Borough's Engineer.
<b>Construction Site Stormwater Runoff</b>	Staff responsible for inspections of construction projects that disturb one acre of soil or more, shall attend annual training on related MS4 permit conditions. Training will be conducted using training videos provided either by JIF or the NJDEP.
<b>Post-Construction Stormwater Management in New and Redevelopment</b>	Staff responsible for implementing stormwater permit requirements shall attend annual training to review the fundamentals of the Borough's post-construction stormwater management program to address stormwater runoff. Training shall discuss the Borough's definition of major development and the interconnection among the Stormwater Management rules at N.J.A.C. 7:8, the Borough's SCO, stormwater permit conditions, the Department's BMP Manual, and Guidance Documents. Training will be conducted using training videos provided either by JIF or the NJDEP.
<b>Community-wide Ordinances</b>	Staff responsible for approving and/or enforcing stormwater-related ordinances shall attend annual training on related MS4 permit conditions and review the purpose of each ordinance and what steps to take if violations are reported. Training will be conducted using training videos provided either by JIF or the NJDEP.
<b>Community-wide Measures</b>	Staff responsible for conducting activities associated with community-wide stormwater management measures shall attend annual training to review the MS4 permit requirements and Borough specific measures employed to comply with the street sweeping, storm drain inlets (labeling, retrofitting, and installations), herbicide application, de-icing operations, roadside vegetative waste, and roadside erosion control requirements. Training will be conducted using training videos provided either by JIF or the Office of the Borough's Engineer.

## SPPP Form 10 –Training (Cont'd)

Topic	Office/Entity Responsible for Training
<i>Describe the training provided for municipal staff.</i>	
Stormwater Facilities Maintenance	<p>Staff responsible for conducting activities associated with inspections, maintenance and repair of stormwater infrastructure shall attend annual training on the MS4 related permit requirements. This training shall detail what infrastructure is to be maintained per approved manufacturers' maintenance plans, versus the remaining infrastructure that is to be maintained according to the NJDEP's BMP Manual. Training will be conducted using training videos provided either by JIF or the NJDEP.</p> <p>Stormwater infrastructure to be included are storm drain inlets, catch basins, MS4 pipe conveyances, and detention basins.</p>
Municipal Maintenance Yards and Other Ancillary Operations	<p>Staff responsible for conducting activities associated with the Borough's maintenance yard and salt yard shall attend annual training to review related MS4 permit conditions, current best management practices, safety equipment and procedures, frequency of activities, and proper documentation of work. Training will be conducted using training videos provided either by JIF or the Office of the Borough's Engineer.</p>
MS4 Mapping	<p>Outside personnel responsible for the preparation and submission of the Borough's electronic stormwater infrastructure map shall attend annual training to review the MS4 permit requirements for electronic mapping.</p>
Outfall Stream Scouring	<p>Staff responsible for conducting inspections and repairs of stormwater outfalls shall attend annual training to review how to identify, remediate, and document cases of stream scouring in accordance with the Borough's MS4 permit. Training will be conducted using training videos provided either by JIF or the Office of the Borough's Engineer.</p>
Illicit Discharge Detection and Elimination	<p>Staff responsible for conducting inspections and repairs of stormwater outfalls shall attend annual training to review how to identify, remediate, and document cases of illicit discharge in accordance with the Borough's MS4 permit. Training will be conducted using training videos provided either by JIF or the Office of the Borough's Engineer.</p>
<b><i>Stormwater Management Design Reviewers</i></b>	
<i>Describe the training provided for individuals responsible for reviews and approvals of stormwater management designs.</i>	
<p>Personnel who review and approve stormwater management designs for major developments on behalf of the Borough will attend the mandatory NJDEP Stormwater Management Design Review course at least once every 5 years, as well as attend mandatory NJDEP training on amendments to the stormwater management rules at N.J.A.C. 7:8 as needed. Once training is completed, records of attendance will be maintained by the Borough's professionals and provided to the Borough upon request.</p>	

## SPPP Form 10 –Training (Cont'd)

### ***Municipal Board and Governing Body Members***

*Describe the training provided for members of the planning/zoning board and municipal council.*

Borough Board and Governing Body Members that review and approve applications for development and redevelopment projects have been required to watch the NJDEP video entitled “Asking the Right Questions in Stormwater Review.” New members will be required to watch the video within six (6) months of joining the board. The video can be accessed through the following link:

[https://nj.gov/dep/stormwater/asking\\_the\\_right\\_questions.html](https://nj.gov/dep/stormwater/asking_the_right_questions.html)

The Borough Clerk and/or the Board Secretary shall maintain record of when the Board or Governing Body Members complete the training for future reference and inclusion in the Borough’s annual stormwater report and supplemental questionnaire.

### ***Training Records***

*Indicate the location of training records for the above required training.*

Logs of training completed by Borough DPW personnel, which include the type of training, date completed, names of attendees and trainers (if available) shall be kept by the DPW for reference and inclusion in the Borough’s annual stormwater report and supplemental questionnaire.

# SPPP Form 11 – MS4 Mapping

1. Provide a link to the most current MS4 outfall/infrastructure map.

<https://www.eatontownnj.com/593/Storm-Water-Management>

2. Indicate the total of each type of MS4 infrastructure listed below (due 01 Jan 2026).

a. MS4 outfalls	17
b. MS4 groundwater discharge points (basins or overland flow infiltration areas)	TBD
c. MS4 interconnections	None
d. MS4 storm drain inlets	821
e. MS4 manholes	TBD
f. Length of conveyance (channels, pipes, ditches, etc.)	TBD
g. MS4 pump stations	0
h. MS4 stormwater facilities (any that are not listed above)	3
i. Maintenance yard(s) and other ancillary operations	2

3. Describe how the municipality's outfall/infrastructure map is reviewed and updated to reflect any new or newly identified MS4 infrastructure (e.g., an outfall is closed, a new basin is constructed, ownership of an outfall has changed, etc.).

On an annual basis, DPW staff will coordinate with the Borough Engineer and/or consultants to review any new major development projects completed throughout the year and identify new stormwater infrastructure constructed as part of those developments or capital projects completed by the Borough. GPS data will be obtained on these new structures/units as needed and the information uploaded into the Borough's MS4 Map. A copy of the new data points will also be submitted to the Borough's MS4 Case Manager.

4. Describe how the municipality will create and update its MS4 Infrastructure Map.

The Borough will work with the Engineer's Office and other representatives to expand the Borough's current Outfall Map to include the above noted MS4 infrastructure in accordance with permit requirements. MS4 components will be field located, have their GPS data collected and then mapped utilizing a GIS mapping system. Once all data is collected and the map completed, copies of the data shapefiles will be submitted to the Borough's MS4 Case Manager no later than January 1, 2026. A copy of the final MS4 Map will be uploaded to the Borough's stormwater webpage.

# SPPP Form 12 – Watershed Improvement Plan

## *1. Describe how your municipality is developing its Watershed Improvement Plan.*

The Borough and their representatives are evaluating the permit requirements to determine how best to initiate Phase 1 of the Watershed Improvement Plan, which is the development of the Borough's Watershed Inventory Report. This includes the selection of stakeholders and coordination of public information sessions throughout development of the overall improvement plan.

Once Phase 1 is completed, a copy of the report will be posted on the Borough's stormwater webpage no later than January 1, 2026.

Currently, the Borough is focusing their effort on expanding their current outfall map to include the additional stormwater system components required as part of the inventory report.

## *2. Describe any regional projects or collaboration efforts with other municipalities.*

Based on information available from the NJDEP's GeoWeb website, there are two (2) Watersheds (HUC11) within the Borough's municipal boundary. They include the following:

- **Shrewsbury River (above Navesink River)**, which is shared Sea Bright Borough, Rumson Borough, Little Silver Borough, Shrewsbury Borough, Shrewsbury Township, West Long Branch Borough, Oceanport Borough, Tinton Falls Borough, Long Branch and Monmouth Beach Borough.
- **Whale Pond Bk / Shark R / Wreck Pond Bk**, which is shared with Wall Township, Sea Girt Borough, Spring Lake Heights Borough, Lake Como Borough, Belmar Borough, Avon-By-The-Sea Borough, Neptune City Borough, Neptune Township, Asbury Park City, Interlaken Borough, Ocean Township, Deal Borough, Long Branch, West Long Branch Borough and Tinton Falls Borough.

Currently, discussions on potential collaboration efforts with these municipalities have not been initiated as of yet. The SPPP will be updated once additional information is available.

## *3. Indicate the location of records related to all public information sessions and meetings for discussions of the Watershed Improvement Plan.*

Records of all comments received during scheduled public information sessions and minutes of meetings held will be maintained by the Borough Clerk's office and/or Engineer's Office.

## SPPP Form 13 – TMDL Info

i. *Using the Total Maximum Daily Load (TMDL) reports provided on the NJDEP website, list adopted TMDLs for the municipality, parameters addressed, and affected waters bodies impacted. Describe how you will use the TMDL information to prioritize stormwater facilities maintenance projects and to address specific sources of stormwater pollutants.*

Applicable Stream TMDLs:

- *Total Maximum Daily Loads for Fecal Coliform to Address 31 Streams in the Atlantic Water Region*  
Fecal Coliform - 2003: Parkers Creek Branch/Lafetras Brook, Shrewsbury River/Husky Brook
- *Total Maximum Daily Loads for Fecal Coliform to Address 31 Streams in the Atlantic Water Region*  
Fecal Coliform - 2003: Whale Pond Brook

Applicable Lake TMDLs:

- *Total Maximum Daily Loads for Pathogens to Address 18 Lakes in the Atlantic Coastal Water Region*  
Fecal Coliform – 2007: Lake Takanassee

Applicable Shellfish TMDLs:

- *Five Total Maximum Daily Loads for Total Coliform to Address Shellfish-Impaired Waters in Watershed Management Area 12*  
Total coliform - 2006: Shrewsbury Estuary-A, Shrewsbury Estuary-B, Shrewsbury Estuary-C

Based on a review of the above referenced TMDL reports, TMDL parameters identified within waterbodies impacted by the Broough include Fecal and Total Coliform, along with Pathogens. Implementation recommendations were reviewed and the Borough has already complied with implementation of their Phase II Stormwater Program, including adoption of the necessary pet waste, wildlife feeding and other community wide ordinances.

The Borough also continues to actively inspect and clean their stormwater infrastructure as outlined in the street sweeping, catch basin cleaning and outfall inspection requirements of their MS4 permit and they meet or exceed the minimum annual requirements where necessary.

The Borough's Local Public Education continues to be evaluated to determine what additional educational material can be provided to area residents and businesses with respect to goose management, wildlife feeding impacts, mercury poisoning and other topics relevant to the TMDLs listed at future events.

## **APPENDIX 1 – Standard Operating Procedures**

Vehicle and Equipment Fueling Standard Operating Procedures  
Vehicle Maintenance Standard Operating Procedures  
Good Housekeeping Practices Standard Operating Procedures

**BOROUGH OF EATONTOWN**  
**STANDARD OPERATING PROCEDURES**

---

TITLE	REVISION NO.
Vehicle and Equipment Fueling	000

---

**DESCRIPTION:**

This Standard Operating Procedure (SOP) contains the procedures and practices designed to minimize pollution to surface and ground waters.

**PURPOSE:**

This SOP provides a set of guidelines for the Borough of Eatontown's employees to implement procedures for delivering fuel into vehicles and equipment, storage tanks, and mobile fuel tanks safely while minimizing pollution to surface and ground waters.

**STANDARDS AND SPECIFICATIONS:**

Vehicle and Equipment Fueling

1. There is to be no smoking in the fueling area.
2. Shut off engine.
3. Ensure the proper type of fuel is used for each vehicle or piece of equipment.
4. Absorbent spill clean-up materials shall be available in all fueling areas, including on mobile fueling vehicles. Clean-up material shall be disposed of properly.
5. Nozzles used in fueling vehicles and equipment shall be equipped with automatic shut-off to prevent overfilling of tanks.
6. Fuel tanks shall not be "topped off."
7. Mobile fueling shall be minimized. Fueling shall only occur in designated areas, whenever possible.
8. In a prominent area, clearly post the instructions for safe operation of all fueling equipment, and appropriate Spill Response contact information.

Bulk Fueling

1. Always use drip pans or absorbent pads under all hose and pipe connections and other leak prone areas.
2. Block storm drain inlets or contain tank trucks using temporary berms or absorbent booms. All hose connection points associated with bulk fueling must be contained within the berm during bulk loading/unloading if storm drain inlets are not blocked.
3. Protect fueling areas with berms and/or dikes to prevent run-on, runoff, and contain spills.
4. A trained employee must be present to oversee bulk fuel transfer.

---

ISSUE DATE	PAGE NO.
	1 of 2

---

# BOROUGH OF EATONTOWN

## STANDARD OPERATING PROCEDURES

### Spill Response and Reporting

1. Conduct clean-up of and spill(s) immediately after discovery.
2. Spills are to be cleaned up using dry cleaning methods only.
3. For Environmental Emergencies Hazardous Materials spills:
  - Level 1: Contact the Eatontown Police Department (732) 542-0100.
  - Level 2: Contact the Monmouth County Health Department at (732) 431-7456.  
Contact NJDEP at (877) WARN DEP or (877) 927-6337.

### Maintenance and Inspection

1. Inspect fueling area, storage tanks, and pumps monthly.
2. Keep an ample supply of spill clean-up material on the site.
3. Check for leaks and damaged equipment, periodically. Any tanks, pumps, piping, equipment, and fuel dispensing equipment found to be damaged, or leaking shall be repaired immediately.

# BOROUGH OF EATONTOWN

## STANDARD OPERATING PROCEDURES

TITLE	REVISION NO.
Vehicle Maintenance	000

### DESCRIPTION:

This Standard Operating Procedure (SOP) contains the basic vehicle maintenance practices to be implemented at the Borough's maintenance yards including maintenance areas at ancillary operations.

### PURPOSE:

This SOP provides a set of guidelines for the Borough of Eatontown's vehicle maintenance for their maintenance yards and ancillary operations' maintenance areas.

### STANDARDS AND SPECIFICATIONS:

#### Vehicle Maintenance

1. Conduct all vehicle maintenance only in designated areas.
2. When possible, perform vehicle and equipment maintenance indoors and on a paved floor.
3. Always use drip pans.
4. Absorbent spill clean-up materials shall be available in all maintenance areas. Material shall be properly disposed of after use.
5. Protect maintenance areas from both stormwater runoff and stormwater run-on. Areas should be located 50 feet downstream of any drainage facility or watercourse.
6. Do not dump or dispose of oils, grease, fluids, and lubricants on the ground. Waste oil and waste antifreeze shall be collected in properly labeled containers and disposed of properly.
7. Do not dump or dispose batteries, used oils, antifreeze or other toxic fluids into a storm drain or watercourse.
8. Do not bury or burn tires.
9. Collect waste fluids in properly labeled containers and dispose properly.

#### Spill Response and Reporting

1. Conduct clean-up of and spill(s) immediately after discovery.
2. Spills are to be cleaned up using dry cleaning methods only.
3. For Environmental Emergencies Hazardous Materials spills:
  - Level 1: Contact the Eatontown Police Department (732) 542-0100.
  - Level 2: Contact the Monmouth County Health Department at (732) 431-7456.
  - Contact NJDEP at (877) WARN DEP or (877) 927-6337.

#### Maintenance and Inspection

1. Periodically check for leaks and damaged equipment and make necessary repairs.

ISSUE DATE	PAGE NO.
	1 of 1

# BOROUGH OF EATONTOWN

## STANDARD OPERATING PROCEDURES

TITLE	REVISION NO.
Good Housekeeping Practices	000

### DESCRIPTION:

This Standard Operating Procedure (SOP) contains the basic good housekeeping practices to be implemented at the Borough's maintenance yards including maintenance areas at ancillary operations.

### PURPOSE:

This SOP provides a set of guidelines for the Borough of Eatontown's employees to implement Good Housekeeping Practices for their maintenance yards and ancillary operations' maintenance areas.

### STANDARDS AND SPECIFICATIONS:

#### General

1. All containers should be properly marked and labeled. Labels should be clean and legible.
2. Keep all containers in good condition and sealed tightly when they are not in use.
3. Keep all chemicals, fluids, and supplies indoors, where practical.
4. Containers stored outdoors must be covered and placed on spill containment platforms.
5. Keep storage areas clean and organized.
6. Keep spill kits and drip pans near any liquid transfer areas. Keep them protected from rain.
7. Absorbent spill clean-up materials must be available in maintenance areas and must be properly disposed of after spills.
8. All trash, dirt, and other debris must be placed in the dumpster.
9. Waste fluids must be collected in properly labeled containers and dispose of properly.
10. Maintain the recycling program by disposing of bottles, cans, paper, and trash in their designated containers.
11. Sweep and clean garages and yard once per week.

#### Salt and De-icing Material Handling

1. Prevent or minimize spills during material loading and unloading. If de-icing materials are spilled, remove the material using dry cleaning methods, and reuse or dispose of the material properly.
2. Inspect, sweep and clean area once per week to remove dirt and debris. Sweep area immediately following loading and unloading operations, when practical.
3. Minimize tracking material from the storage and loading/unloading areas.
4. Minimize the distance materials are transported during loading and unloading activities
5. Tarp any materials stored outside when they are not in use.
6. If interim seasonal tarping is used, de-icing materials may only be stored outside between October 15<sup>th</sup> and April 30<sup>th</sup>.

ISSUE DATE	PAGE NO.
	1 of 2

# BOROUGH OF EATONTOWN

## STANDARD OPERATING PROCEDURES

### Recycling Center

1. Sweep and clean area once per week to remove dirt and debris. Sweep area immediately following loading and unloading operations, when practical.
2. All trash, dirt, and other debris must be placed in the dumpster.
3. Waste fluids must be collected in properly labeled containers and dispose of properly.

### Spill Response and Reporting

1. Conduct clean-up of and spill(s) immediately after discovery.
2. Spills are to be cleaned up using dry cleaning methods only.
3. For Environmental Emergencies Hazardous Materials spills:  
Level 1: Contact the Eatontown Police Department (732) 542-0100.  
Level 2: Contact the Monmouth County Health Department at (732) 431-7456.  
Contact NJDEP at (877) WARN DEP or (877) 927-6337.

### Maintenance and Inspection

1. Check for leaks and damaged equipment, periodically. Make repairs as necessary.
2. Perform monthly inspections of all storage areas and containers, both in and outdoors.
3. Perform overall facility inspection and maintenance annually.